NOTIFICATION OF STATEWIDE CONTRACT

December 9, 2014

CONTRACT TITLE: PARK BENCHES AND PICNIC TABLES

CURRENT CONTRACT PERIOD: DECEMBER 1, 2014 THROUGH DECEMBER 31, 2014

BUYER INFORMATION: Laurie Borchelt

573-751-1702

laurie.borchelt@oa.mo.gov

	Original Contract Period	Potential Final Expiration
RENEWAL INFORMATION	Contract No. C112291 - June 12, 2012 through June 11, 2013 Contract No. C112327 - September 4, 2012 through June 11, 2013	December 30, 2014

ALL PURCHASES MADE UNDER THIS CONTRACT MUST BE FOR **PUBLIC USE ONLY.**PURCHASES FOR PERSONAL USE BY PUBLIC EMPLOYEES OR OFFICIALS ARE PROHIBITED.

THE USE OF THIS CONTRACT IS **PREFERRED** FOR ALL STATE AGENCIES.

This contract has been established for the convenience of state agencies. Local Purchase Authority may be used to purchase supplies/services included in this contract from an alternate source at the discretion of the agency.

The entire contract document may be viewed and printed from the Division of Purchasing & Materials Management's **Awarded Bid & Contract Document Search** located on the Internet at http://www.oa.mo.gov/purch.

~ Instructions for use of the contract, specifications, requirements, and pricing are attached ~.

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	MBE/ WBE	CO-OP PROC
C112291001	4313031080 0	Diversified Metal Fabricators 1500 S US Highway 169 Smithville, MO 64089 Contact: Kevin McEvoy Phone: 816-532-0352 Fax: 816-532-3982 diversifiedmetal@gmail.com	No	No
C112291002		(CANCELLED)		
C112327001	4313280090 0	Fry & Associates Inc. 101 E. 15 th Ave. N. Kansas City, MO 64116 Contact: Margie Fry Phone: 800-444-9787 or 816-221-4825 Fax: 877-221-4831 or 816-221-4831 sales@fryinc.com	No	No

CONTRACT NUMBER	VENDOR NUMBER	VENDOR INFORMATION	MBE/ WBE	CO-OP PROC
C112327002	3002840260 0	All Inclusive Rec LLP 109 W. Liberty St. PO Box 72 Farmington, MO 63640 Contact: Kendra Gibson Phone: 573-701-9787 Fax: 573-701-9312 air@allinclusiverec.com	No	No
C112327003		(CANCELLED)		

STATEWIDE CONTRACT HISTORY

 $The following summarizes actions \ related \ to \ this \ Notification \ of \ Statewide \ Contract \ since \ its \ initial \ issuance. \ Any \ and \ all \ revisions \ have \ been \ incorporated \ into \ the \ attached \ document.$

Contract Period	Issue Date	Summary of Changes
December 1, 2014 through December 31, 2014	12/09/14	Contract extensions through December 31, 2014.
September 1, 2014 through November 30, 2014	10/07/14	Contract extensions through November 30, 2014.
June 12, 2014 through August 31, 2014	06/25/14	Contract extensions through August 31, 2014. Contract C112291002 (American Park and Recreation Co.) - CANCELLED. Change Buyer and Buyer Contact information.
June 12, 2013 through June 11, 2014	08/23/13	Amendment to Add line item 014 to C112327001.
June 12, 2013 through June 11, 2014	06/26/13	Renewal of contracts.
September 4, 2012 through June 11, 2013	09/04/12	Issuance of additional contracts for additional items.
June 12, 2012 through June 11, 2013	06/12/12	Initial issuance of new statewide contract.

GENERAL CONTRACT INFORMATION

Purpose and Use of Contract:

These contracts are "preferred use" contracts established for the purchase of park benches and picnic tables by various state agencies located in Missouri on an as needed, if needed basis in accordance with the requirements and provisions stated herein.

State agencies are advised to check the contract for the purchase of these items and to choose the best product and best price available to them. The contracts are "preferred use" contracts which means that the contract provides good market pricing and product variety to state agencies. Agencies are encouraged to use preferred-use contracts but in rare instances where the state agency can obtain like or similar products that meet the state agency's needs at a better price, then the agency has authority to purchase the items from other sources so long as the provision of the Local Purchasing Authority Delegation are followed. The Delegation can be viewed and downloaded from the internet at the following website: http://oa.mo.gov/purch/agencyinfo/deptpad.pdf

Missouri Vocational Enterprises State Agency Waiver Requirement:

In the event park equipment products under contract are also available from Missouri Vocational Enterprises (MVE), the contractor shall understand and agree that the state agency must acquire the items from MVE as required by Section 217.575 RSMo unless the state agency has obtained a waiver from MVE, see http://oa.mo.gov/mo/samii/fin/bulletins/MVEReleaseForm021805.pdf).

Contract Period:

<u>Contracts C112291001</u> – The initial contract period is June 12, 2012 through June 11, 2013. There are two (2) additional one-year renewal periods. DPMM shall have the right, at its sole option, to renew the contracts for the additional renewal periods.

Contracts C112327001 and C112327002 – The initial contract period is September 4, 2012 through June 11, 2013. There is one (1) additional one-year renewal period. DPMM shall have the right, at its sole option, to renew the contracts for the additional renewal period.

Contact Information:

Agencies shall contact the contractor at the number provided on the front page of this notice for the following:

- Placing Orders
- Product Availability
- Shipping/Invoice Issues

Pricing and Shipping Charges:

Pricing shall be as stated on the following pages. Prices are firm for the duration of the contract period stated on the front page of this notice.

All prices shall include all packing, handling, shipping and freight charges *FOB Destination*, *Freight Prepaid and Allowed*. The State of Missouri shall not make additional payments or pay add-on charges for freight or shipping.

PRICING PAGE

C112291001 – Diversified Metal Fabricators

METAL CONSTRUCTION PARK BENCHES

001 C/S Code: 65000 1 EA \$300.00

Park Equipment

Park Benches (Metal Construction)

Materials: open grid poly-vinyl coated metal

Length: Six (6) feet long

Design: Stationary, frame extended into ground

Open grid back and seat

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Diversified Metal Fab Inc. #EB61

Construction material: <u>Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel</u> <u>framing. Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

Length in feet: 6' - six feet

Design: Stationary/Frame Extended Into Ground/Planks Construction: <u>Frames extend into ground approx 12</u>". Frames are 2 3/8" pre-galvanized structural steel tubing, formed and welded with 1/4" steel seat tabs, pre-treated, pre-heated and electrostatically powder coated and cured.

Back/Seat: "OPEN GRID" - Expanded Metal Seat and Back

Color: <u>Numerous colors available (Neutral tones: Beige, Blue, Black, Brown, Park Green)</u> Hardware: <u>All necessary hardware is included; hardware is zinc coated for durability.</u>

002 C/S Code: 65000 1 EA \$300.00

Park Equipment

Park Benches (Metal Construction)

Materials: open grid poly-vinyl coated metal

Length: Six (6) feet long

Design: Stationary, frame bolted to the surface

Open grid back and seat

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: <u>Diversified Metal Fab Inc. #EB62</u>

Construction material: <u>Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u> <u>Seats are pre-treated, pre-heated and plastisol coated.</u> <u>Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

Length in feet: 6' - six feet

Design: Stationary/Frame Extended Into Ground/Planks Construction: <u>Frames are "bolt-to-surface" and require four (4) ground anchors – not included.</u> Frames are 2 3/8" pre-galvanized structural steel tubing, formed and welded with 1/4" steel seat tabs, pre-treated, pre-heated and electrostatically powder coated and cured.

Back/Seat: "OPEN GRID" – Expanded Metal Seat and Back

Color: <u>Numerous colors available (Neutral tones: Beige, Blue, Black, Brown, Park Green)</u> Hardware: All necessary hardware is included; hardware is zinc coated for durability.

003 C/S Code: 65000 1 EA \$330.00

Park Equipment

Park Benches (Metal Construction)

Materials: open grid poly-vinyl coated metal

Length: Eight (8) feet long

Design: Stationary, frame extended into ground

Open grid back and seat

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: <u>Diversified Metal Fab Inc. #EB81</u>

Construction material: <u>Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u> Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.

Length in feet: 8' - eight feet

Design: Stationary/Frame Extended Into Ground/Planks Construction: <u>Frames extend into ground approx 12</u>". Frames are 2 3/8" pre-galvanized structural steel tubing, formed and welded with 1/4" steel seat tabs, pre-treated, pre-heated and electrostatically powder coated and cured.

Back/Seat: "OPEN GRID" – Expanded Metal Seat and Back

Color: <u>Numerous colors available (Neutral tones: Beige, Blue, Black, Brown, Park Green)</u> Hardware: <u>All necessary hardware is included; hardware is zinc coated for durability.</u>

004 C/S Code: 65000 1 EA \$330.00

Park Equipment

Park Benches (Metal Construction)

Materials: open grid poly-vinyl coated metal

Length: Eight (8) feet long

Design: Stationary, frame bolted to the surface

Open grid back and seat

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Diversified Metal Fab Inc. #EB82

Construction material: <u>Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel</u> <u>framing. Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

Length in feet: 8' - eight feet

Design: Stationary/Frame Extended Into Ground/Planks Construction: <u>Frames are "bolt-to-surface" and require four (4) ground anchors – not included.</u> Frames are 2 3/8" pre-galvanized structural steel tubing, formed and welded with 1/4" steel seat tabs, pre-treated, pre-heated and electrostatically powder coated and cured.

Back/Seat: "OPEN GRID" – Expanded Metal Seat and Back

Color: <u>Numerous colors available (Neutral tones: Beige, Blue, Black, Brown, Park Green)</u> Hardware: <u>All necessary hardware is included; hardware is zinc coated for durability.</u>

METAL CONSTRUCTION PICNIC TABLES - UNIVERSAL (WHEELCHAIR) ACCESSIBLE

005 C/S Code: 65000 1 EA \$500.00

Park Equipment

Picnic Tables – Universal (Wheelchair) Accessible (Metal Construction)

Materials: open grid poly-vinyl coated metal

Open grid tops and benches

ADA: Industry-recognized ADA clearance, example: 30-inches wide and 27-inches under table (ground

to bottom of table top) allowing for 24-inches total knee and toe clearance Design: ADA access, easy walk through access with skid design frame

Table Length: Six-feet (6')

Table Height: 30-inch table height (+/- 2") Seat Height: 17-1/2 inch seat height (+/- 1")

Brand and Model: Diversified Metal Fab Inc. #ET65

Material: <u>Tops & Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u>
<u>Tops & Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

ADA picnic table: Unit complies with applicable ADA configuration: 30" W x 28" H x 24" D

Open grid tops and benches: "OPEN GRID" – Expanded Metal Tops & Seats

ADA Clearance: <u>Unit complies with applicable ADA configuration: 30" W x 28" H x 24" D</u>

Design: Easy Walk Through Access: <u>Design features easy walk thru access</u>

Skid design frame: <u>Frame is designed to be portable (skid design)</u>, but permanent installation is recommended.

Table Length: Length: 6' or 72"

Table Height: <u>Table height is approx 30", top is approx 2" thick</u> Seat Height: <u>Seat height is approx 17", plank is approx 2" thick</u>

006 C/S Code: 65000 1 EA \$510.00

Park Equipment

Picnic Tables – Universal (Wheelchair) Accessible (Metal Construction)

Materials: open grid poly-vinyl coated metal

Open grid tops and benches

ADA: Industry-recognized ADA clearance, example: 30-inches wide and 27-inches under table (ground

to bottom of table top) allowing for 24-inches total knee and toe clearance Design: ADA access, easy walk through access with skid design frame

Table Length: Eight-feet (8')

Table Height: 30-inch table height (+/- 2") Seat Height: 17-1/2 inch seat height (+/- 1")

Brand and Model: Diversified Metal Fab Inc. #ET85

Material: <u>Tops & Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u>
<u>Tops & Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

ADA picnic table: Unit complies with applicable ADA configuration: 30" W x 28" H x 24" D

Open grid tops and benches: "OPEN GRID" – Expanded Metal Tops & Seats

ADA Clearance: <u>Unit complies with applicable ADA configuration: 30" W x 28" H x 24" D</u>

Design: Easy Walk Through Access: Design features easy walk thru access

Skid design frame: Frame is designed to be portable (skid design), but permanent installation is

recommended.

Table Length: <u>Table Length: 8' or 96"</u>; <u>Seat Length: 6' or 72"</u>
Table Height: <u>Table height is approx 30"</u>, top is approx 2" thick
Seat Height: <u>Seat height is approx 17"</u>, plank is approx 2" thick

METAL CONSTRUCTION PICNIC TABLES

007 C/S Code: 65000 1 EA \$475.00

Park Equipment

Picnic Tables – Metal Construction

Materials: open grid poly-vinyl coated metal

Open grid tops and benches Design: Manufacturer standard Table Length: Six-feet (6')

Table Height: Manufacturer standard Seat Height: Manufacturer standard

Brand and Model: Diversified Metal Fab Inc. #ET63

Material: <u>Tops & Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u>
<u>Tops & Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

Open grid tops and benches: "OPEN GRID" – Expanded Metal Tops & Seats

Design: Standard, non-ADA picnic table, portable design, but permanent installation is recommended

Table Length: Length: 6' or 72"

Table Height: <u>Table height is approx 30", top is approx 2" thick</u> Seat Height: Seat height is approx 17"; plank is approx 2" thick

008 C/S Code: 65000 1 EA \$515.00

Park Equipment

Picnic Tables – Metal Construction

Materials: open grid poly-vinyl coated metal

Open grid tops and benches Design: Manufacturer standard Table Length: Eight-feet (8')

Table Height: Manufacturer standard Seat Height: Manufacturer standard

Brand and Model: <u>Diversified Metal Fab Inc. #ET83</u>

Material: <u>Tops & Seats are 3/4" 9 gauge expanded steel in 12 gauge formed and welded steel framing.</u>
<u>Tops & Seats are pre-treated, pre-heated and plastisol coated. Coating is reinforced with UV stabilizers, is bonded to the steel and cured at temperature.</u>

Open grid tops and benches: "OPEN GRID" – Expanded Metal Tops & Seats

Design: Standard, non-ADA picnic table, portable design, but permanent installation is recommended

Table Length: Length: 8' or 96"

Table Height: <u>Table height is approx 30", top is approx 2" thick</u> Seat Height: Seat height is approx 17"; plank is approx 2" thick

C112291002 - American Park and Recreation Company - CANCELLED

RECYCLED PLASTIC CONSTRUCTION PICNIC TABLES - UNIVERSAL (WHEELCHAIR) ACCESSIBLE

013 C/S Code: 65000 1 EA \$

Park Equipment

Picnic Tables - Universal (Wheelchair) Accessible (Recycled Plastic Construction)

Table Length: 6'

(Deleted)

014 C/S Code: 65000 1 EA \$

Park Equipment

Picnic Tables – Universal (Wheelchair) Accessible (Recycled Plastic Construction)

Table Length: 8'

(Deleted)

RECYCLED PLASTIC CONSTRUCTION PICNIC TABLES

015 C/S Code: 65000 1 EA \$

Park Equipment

Picnic Tables - (Recycled Plastic Construction)

Table Length: 6'

(Deleted)

016 C/S Code: 65000 1 EA \$

Park Equipment

Picnic Tables - (Recycled Plastic Construction)

Table Length: 8'

(Deleted)

C112327001 – Fry & Associates Inc.

PARK BENCHES - RECYCLED MATERIAL CONSTRUCTION

001 C/S Code: 65000 1 EA \$645.00

Park Equipment

6 Ft. Park Bench – In-Ground Mount (Recycled Material Construction)

Materials: constructed of recycled contour plastic with a galvanized frame

<u>Length</u>: Six (6) feet long (72" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with galvanized finish

Planks: 3 or 4 inch x 3 or 4 inch recycled plastic planks

<u>Back</u>: backrest must be present <u>Mounting</u>: in-ground mount; stationary

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #SWRB3/G-6PC34

Construction material, address recycled materials and percentage composition: <u>embedded mount contour</u> bench with 100% recycled plastic timbers

Length: 6 ft. Steel Frame Y/N? yes

Frame Measurements? End frames are one-piece welded construction with 2-1/2" x 2-1/2" square steel post; seat brackets are constructed of 3/8" x 4" A-36 flat steel bar, die-formed for shape and reinforcement

Frame Finish: galvanized finish

Plank Size: 3" x 4" timbers

Backrest Present Y/N? yes Mounting: in-ground mount

Color: optional color choices available

Hardware: included

004 C/S Code: 65000 1 EA \$770.00

Park Equipment

8 Ft. Park Bench – Surface Mount (Recycled Material Construction)

Materials: constructed of recycled contour plastic with a galvanized frame

<u>Length</u>: Eight (8) feet long (96" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with galvanized finish

Planks: 3 or 4 inch x 3 or 4 inch recycled plastic planks

<u>Back</u>: backrest must be present <u>Mounting</u>: surface mount; stationary

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #PWRB3/G-8PC34

Construction material, address recycled materials and percentage composition: <u>portable or surface mount</u> <u>contour bench with 100% recycled plastic timbers</u>

Length: 8 ft. Steel Frame Y/N? yes

Frame Measurements? End frames are one-piece welded construction with 2-1/2" x 2-1/2" square steel post; seat brackets are constructed of 3/8" x 4" A-36 flat steel bar, die-formed for shape and

reinforcement

Frame Finish: galvanized finish

Plank Size: 3" x 4" timbers

Backrest Present Y/N? yes Mounting: surface mount

Color: optional color choices available

Hardware: included

PICNIC TABLES - WOOD CONSTRUCTION - ADA ACCESSIBLE

009 C/S Code: 65000 1 EA \$387.00

Park Equipment

6 Ft. Picnic Table - ADA Accessible

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated with a steel galvanized frame

<u>Length</u>: six (6) feet (72" +/- 1")

Frame: Minimum of 2-3/8" thick single-piece steel end frames with galvanized finish

Planks: 2-inch x 10-inch (nominal) seat/top planks, No. 1 Southern Yellow Pine, CCA or ACQ pressure

treated

<u>ADA</u>: must meet or exceed current ADA guidelines for wheelchair access to picnic tables (example: clearance of 30-inches wide and 27-inches under table (ground to bottom of table top) and 24-inches total knee and toe clearance 19" knee + 5" toe)

Design: Easy walk through access with skid design frame

<u>Table Height</u>: 30-inch table height (+/- 2") Seat Height: 17-1/2 inch seat height (+/- 1")

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #XT/G-6TP/E

Construction material, address wood type/treatment/details: wheelchair accessible table extended one end with #1 southern yellow pine top and seat

Length: 6 ft. Steel Frame Y/N? yes

Frame Measurements? End frames are one-piece welded construction, fabricated from 2-3/8" OD steel pipe to meet 2" nominal steel pipe size specifications with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and top.

Frame Finish: galvanized finish

Plank Size: 2" x 10" nominal sized planks

Top Overhang? <u>Top extends 2 ft. beyond seats to provide the ADA recommended wheelchair clearances of 30" wide, 27" under table (ground to bottom of table top) and 24" total knee and toe clearance (19" + 5")</u>

ADA Clearance Measurements: see above

Walk-through Access with Skid Design Frame: yes

Table Height: 28" Seat Height: 18"

Hardware Included: included

010 C/S Code: 65000 1 EA \$431.00

Park Equipment

8 Ft. Picnic Table – ADA Accessible

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated with a steel galvanized frame

Length: eight (8) feet (96" +/- 1")

Frame: Minimum of 2-3/8" thick single-piece steel end frames with galvanized finish

Planks: 2-inch x 10-inch (nominal) seat/top planks, No. 1 Southern Yellow Pine, CCA or ACQ pressure

treated

<u>Top</u>: should overhang each end by a minimum of 20" to allow for ADA accessibility

 $\overline{\text{ADA}}$: must meet or exceed current ADA guidelines for wheelchair access to picnic tables (example: clearance of 30-inches wide and 27-inches under table (ground to bottom of table top) and 24-inches total knee and toe clearance 19" knee + 5" toe)

<u>Design</u>: Easy walk through access with skid design frame

<u>Table Height</u>: 30-inch table height (+/- 2") <u>Seat Height</u>: 17-1/2 inch seat height (+/- 1")

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #XT/G-8TP/E

Construction material, address wood type/treatment/details: wheelchair accessible table extended one end with #1 southern yellow pine top and seat

Length: 8 ft. Steel Frame Y/N? yes

Frame Measurements? <u>End frames are one-piece welded construction, fabricated from 2-3/8" OD steel pipe to meet 2" nominal steel pipe size specifications with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and top.</u>

Frame Finish: galvanized finish

Plank Size: 2" x 10" nominal sized planks

Top Overhang? Top extends 2 ft. beyond seats to provide the ADA recommended wheelchair clearances of 30" wide, 27" under table (ground to bottom of table top) and 24" total knee and toe clearance (19" + 5")

ADA Clearance Measurements: see above

Walk-through Access with Skid Design Frame: yes

Table Height: 28" Seat Height: 18"

Hardware Included: included

PICNIC TABLES - WOOD CONSTRUCTION

011 C/S Code: 65000 1 EA \$337.00

Park Equipment
6 Ft. Picnic Table
(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated with a steel galvanized frame

Length: six (6) feet (72" +/- 1")

Frame: Minimum of 2-3/8" thick single-piece steel end frames with galvanized finish

Planks: 2-inch x 10-inch (nominal) seat/top planks, No. 1 Southern Yellow Pine, CCA or ACQ pressure

treated

Design: Easy walk through access with skid design frame

<u>Table Height</u>: 30-inch table height (+/- 2") <u>Seat Height</u>: 17-1/2 inch seat height (+/- 1")

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #XT/G-6TP

Construction material, address wood type/treatment/details: <u>heavy duty portable rectangular tables with #1 southern yellow pine top and seats</u>

Length: <u>6 ft.</u> Steel Frame Y/N? <u>yes</u>

Frame Measurements? End frames are one-piece welded construction, fabricated from 2-3/8" OD steel pipe to meet 2" nominal steel pipe size specifications with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and top.

Frame Finish: galvanized finish

Plank Size: 2" x 10" nominal sized planks

Walk-through Access with Skid Design Frame: yes

Table Height: 30" Seat Height: 18"

Hardware Included: included

012 C/S Code: 65000 1 EA \$382.00

Park Equipment 8 Ft. Picnic Table (Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated with a steel galvanized frame

<u>Length</u>: eight (8) feet (96" +/- 1")

Frame: Minimum of 2-3/8" thick single-piece steel end frames with galvanized finish

Planks: 2-inch x 10-inch (nominal) seat/top planks, No. 1 Southern Yellow Pine, CCA or ACQ pressure

treated

Design: Easy walk through access with skid design frame

<u>Table Height</u>: 30-inch table height (+/- 2") Seat Height: 17-1/2 inch seat height (+/- 1")

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Pilot Rock #XT/G-8TP

Construction material, address wood type/treatment/details: <u>heavy duty portable rectangular tables with</u> #1 southern yellow pine top and seats

Length: 8 ft. Steel Frame Y/N? yes

Frame Measurements? End frames are one-piece welded construction, fabricated from 2-3/8" OD steel pipe to meet 2" nominal steel pipe size specifications with 2" x 2" x 3/16" A-36 structural grade steel angle for attaching the seats and top.

Frame Finish: galvanized finish

Plank Size: 2" x 10" nominal sized planks

Walk-through Access with Skid Design Frame: yes

Table Height: 30" Seat Height: 18"

Hardware Included: included

014 C/S Code: 65000 1 PR \$54.00

Park Equipment
Park Bench Armrests
(Recycled Material Construction)

Materials: constructed of recycled contour plastic with a galvanized frame

<u>Finish</u>: 3/16" x 2" steel frame with hot dip galvanized finish <u>Size</u>: pad is 2" x 4" (nom.) x 12" recycled plastic

Color: Neutral color – must match bench color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Armrests shall be utilized with the following park bench models:

• 6 ft. Park Bench – In Ground Mount (Recycled Material Construction)
Pilot Rock #SWRB3/G-6PC34

• 8 ft. Park Bench – Surface Mount (Recycled Material Construction)
Pilot Rock #PWRB3/G-8PC34

Brand and Model: Pilot Rock #AR/G-4PW

C112327002 - All Inclusive Rec LLP

PARK BENCHES - RECYCLED MATERIAL CONSTRUCTION

002 C/S Code: 65000 1 EA \$617.40

Park Equipment

6 Ft. Park Bench – Surface Mount (Recycled Material Construction)

Materials: constructed of recycled contour plastic with a galvanized frame

Length: Six (6) feet long (72" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with galvanized finish

Planks: 3 or 4 inch x 3 or 4 inch recycled plastic planks

<u>Back</u>: backrest must be present <u>Mounting</u>: surface mount; stationary

<u>Color</u>: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Kaypark #6CB3RP

Construction material, address recycled materials and percentage composition: <u>surface mount contour</u>

bench with 100% recycled planks

Length: <u>6 ft.</u> Steel Frame Y/N? <u>Yes</u>

Frame Measurements? Contoured supports are 3/8" x 4" rolled steel that are formed to shape a smooth comfortable seat and back; steel leg consists of a 2-1/2" square support tube welded to an arched 3/8" x

4" formed steel base

Frame Finish: <u>galvanized finish</u> Plank Size: <u>3" x 4" recycled planks</u>

Backrest Present Y/N? Yes Mounting: surface mount

Color: gray, cedar or brown

Hardware: included

PARK BENCHES - WOOD CONSTRUCTION

005 C/S Code: 65000 1 EA \$388.50

Park Equipment

6 Ft. Park Bench - In-Ground Mount

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated lumber with a galvanized frame

Length: Six (6) feet long (72" + /- 1")

<u>Frame</u>: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with a galvanized finish

Planks: 2, 3 or 4 inch x 3 or 4 inch No. 1 Southern Yellow Pine planks, CCA or ACQ pressure treated

Back: backrest must be present

Mounting: in-ground mount; stationary

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Kaypark #6CB2SYPIG

Construction material, address wood type/treatment/details: in-ground contour bench with No. 1

Southern Yellow Pine treated lumber

Length: 6 ft. Steel Frame Y/N? yes

Frame Measurements? 3/8" x 4" steel contour frame with 2-1/2" x 3/16" wall square tube post

Frame Finish: galvanized finish

Plank Size: 2" x 4" Southern Yellow Pine with Arch Wood non-metallic preservative

Backrest Present Y/N? yes Mounting: in-ground

Color: color options available

Hardware: included

006 C/S Code: 65000 1 EA \$365.40

Park Equipment

6 Ft. Park Bench - Surface Mount

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated lumber with a galvanized frame

<u>Length</u>: Six (6) feet long (72" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with a galvanized finish

Planks: 2, 3 or 4 inch x 3 or 4 inch No. 1 Southern Yellow Pine planks, CCA or ACQ pressure treated

<u>Back</u>: backrest must be present Mounting: surface mount; stationary

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Kaypark #6CB2SYP

Construction material, address wood type/treatment/details: <u>surface contour bench with No. 1 Southern</u>

Yellow Pine treated lumber

Length: 6 ft. Steel Frame Y/N? yes

Frame Measurements? 3/8" x 4" steel contour frame with 2-1/2" x 3/16" wall square tube post

Frame Finish: galvanized finish

Plank Size: 2" x 4" Southern Yellow Pine with Arch Wood non-metallic preservative

Backrest Present Y/N? yes Mounting: surface

Color: color options available

Hardware: included

007 C/S Code: 65000 1 EA \$417.90

Park Equipment

8 Ft. Park Bench - In-Ground Mount

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated lumber with a galvanized frame

Length: Eight (8) feet long (96" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with a galvanized finish

Planks: 2, 3 or 4 inch x 3 or 4 inch No. 1 Southern Yellow Pine planks, CCA or ACQ pressure treated

Back: backrest must be present

Mounting: in-ground mount; stationary

Color: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Kaypark #8CB2SYPIG

Construction material, address wood type/treatment/details: in-ground contour bench with No. 1

Southern Yellow Pine treated lumber

Length: 8 ft. Steel Frame Y/N? yes

Frame Measurements? 3/8" x 4" steel contour frame with 2-1/2" x 3/16" wall square tube post

Frame Finish: galvanized finish

Plank Size: 2" x 4" Southern Yellow Pine with Arch Wood non-metallic preservative

Backrest Present Y/N? yes Mounting: in-ground

Color: color options available

Hardware: included

008 C/S Code: 65000 1 EA \$396.90

Park Equipment

8 Ft. Park Bench – Surface Mount

(Wood Construction)

Materials: No. 1 Southern Yellow Pine, CCA or ACQ pressure treated lumber with a galvanized frame

Length: Eight (8) feet long (96" +/- 1")

Frame: minimum of 2-3/8" steel tubing welded to 3/8 x 4 inch rolled steel with a galvanized finish

Planks: 2, 3 or 4 inch x 3 or 4 inch No. 1 Southern Yellow Pine planks, CCA or ACQ pressure treated

<u>Back</u>: backrest must be present Mounting: surface mount; stationary

<u>Color</u>: Neutral color. Bright colors shall be unacceptable.

Hardware: Shall include all necessary hardware at no additional cost

Brand and Model: Kaypark #8CP2SYP

Construction material, address wood type/treatment/details: <u>surface contour bench with No. 1 Southern</u>

Yellow Pine treated lumber

Length: 8 ft. Steel Frame Y/N? yes

Frame Measurements? 3/8" x 4" steel contour frame with 2-1/2" x 3/16" wall square tube post

Frame Finish: galvanized finish

Plank Size: 2" x 4" Southern Yellow Pine with Arch Wood non-metallic preservative

Backrest Present Y/N? yes Mounting: surface

Color: color options available

Hardware: included

C112327003 – Jamestown Advanced Products Corp. - CANCELLED

PARK BENCHES – RECYCLED MATERIAL CONSTRUCTION

003 C/S Code: 65000 1 EA \$

Park Equipment

8 Ft. Park Bench – In-Ground Mount (Recycled Material Construction)

(Deleted)

State of Missouri Office of Administration Division of Purchasing and Materials Management Contract Performance Report

Please take a moment to let us know how this contract award has measured up to your expectations. If reporting on more than one contractor or product, please make copies as needed. This office will use the information to improve products and services available to state agency users. **Comments should include those of the product's end user.** Contract No.: Contractor: Describe Product Purchased (include Item No's., if available): **Rating Scale:** 5 = Excellent, 4 = Good, 3 = Average, 2 = Poor, 1 = Fails to meet expectations **Product Rating** 1-5, 5 best Product meets your needs Product meets contract specifications Pricing **Contractor Rating** Rate 1-5, 5 best Timeliness of delivery Responsiveness to inquiries Employee courtesy Problem resolution Recall notices handled effectively Comments: Prepared by: _____ Title: _____ Agency: ____ _____ Phone: _____ Email: ____ Address: ___

Please detach or photocopy this form & return by FAX to 573/526-9816, or mail to:

Office of Administration
Division of Purchasing and Materials Management
Attention: Teri Schulte
301 West High Street, RM 630
PO Box 809
Jefferson City, Missouri 65102

Jefferson City, Missouri 65102 You may also e-mail form to the buyer as an attachment at Teri.schulte@oa.mo.gov